



Approved. Sealed. Code Compliant.

Technical Evaluation Report

TER 1911-03

Big Timber® CAB Cabinet Screw Properties

Western Builders Supply DBA Big Timber®

Products:

CAB, CAB WHT, and CAB BLK Cabinet Screws

> Issue Date: September 24, 2020 Revision Date: January 11, 2022 Subject to Renewal: October 1, 2022

For the most recent version or a sealed copy of this Technical Evaluation Report (TER), visit drjcertification.org.

COMPANY

INFORMATION:

Western Builders Supply DBA Big Timber®

53 N 15th St Ste 1 Billings, MT 59101-2501

406-252-6309

sales@bigtimberfasteners.com

bigtimberfasteners.com

DIVISION: 06 00 00 - WOOD, PLASTICS AND COMPOSITES

SECTION: 06 05 23 - Wood, Plastic, and Composite Fastenings

1 PRODUCTS EVALUATED¹

- 1.1 CAB, CAB WHT, and CAB BLK Cabinet Screws
- 2 APPLICABLE CODES AND STANDARDS^{2,3}
 - 2.1 Codes
 - 2.1.1 IBC—15, 18, 21: International Building Code®
 - 2.1.2 IRC—15, 18, 21: International Residential Code®
 - 2.1.3 FBC-B—17, 20: Florida Building Code Building (FL 35216)
 - 2.1.4 FBC-R—17, 20: Florida Building Code Residential (FL 35216)
 - 2.2 Standards and Referenced Documents
 - 2.2.1 AISI S904: Standard Test Methods for Determining the Tensile and Shear Strength of Screws
 - 2.2.2 ANSI A208.1 Particleboard
 - 2.2.3 ANSI/AWC NDS: National Design Specification (NDS) for Wood Construction
 - 2.2.4 ASTM A153: Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware
 - 2.2.5 ASTM A510: Standard Specification for General Requirements for Wire Rods and Coarse Round Wire, Carbon Steel, and Alloy Steel
 - 2.2.6 ASTM D1554: Standard Terminology Relating to Wood-Base Fiber and Particle Panel Materials
 - 2.2.7 ASTM D1761: Standard Test Methods for Mechanical Fasteners in Wood
 - 2.2.8 ASTM D2395: Standard Test Methods for Density and Specific Gravity (Relative Density) of Wood and Wood-Based Materials
 - 2.2.9 ASTM D2915: Standard Practice for Sampling and Data-Analysis for Structural Wood and Wood-Based Products

¹ For more information, visit <u>drjcertification.org</u> or call us at 608-310-6748.

² Unless otherwise noted, all references in this TER are from the 2021 version of the codes and the standards referenced therein. This material, design, or method of construction also complies with the 2000-2018 versions of the referenced codes and the standards referenced therein.

³ All terms defined in the applicable building codes are italicized.





- 2.2.10 ASTM D4442: Standard Test Methods for Direct Moisture Content Measurement of Wood and Wood-Based Materials
- 2.2.11 ASTM F1575: Standard Test Method for Determining Bending Yield Moment of Nails
- 2.2.12 DOC PS 1: Structural Plywood

3 PERFORMANCE EVALUATION

- 3.1 Big Timber® "Low Profile" (CAB), White Head (CAB WHT), and Black (CAB BLK) Cabinet Screws were tested and evaluated to determine their structural resistance properties, which were used to develop reference design values for allowable stress design (ASD). The following properties were evaluated:
 - 3.1.1 Bending yield in accordance with ASTM F1575
 - 3.1.2 Tensile strength in accordance with *AISI* S904
 - 3.1.3 Shear strength in accordance with AISI S904
 - 3.1.4 Lateral shear in accordance with ASTM D1761
 - 3.1.5 Withdrawal strength in accordance with ASTM D1761
- 3.1.6 Head pull-through in accordance with ASTM D1761
- 3.2 CAB, CAB WHT, and CAB BLK cabinet screws were tested and evaluated for corrosion resistance of fasteners meeting or exceeding the protection afforded hot-dipped galvanized fasteners in accordance with *ASTM A153*, Class D.
- 3.3 Use of screws in locations exposed to saltwater or saltwater spray are outside the scope of this TER.
- 3.4 Any code compliance issues not specifically addressed in this section are outside the scope of this TER.
- 3.5 Any engineering evaluation conducted for this TER was performed within DrJ's ANAB <u>accredited ICS code scope</u> and/or the defined professional engineering scope of work on the dates provided herein.
- 4 PRODUCT DESCRIPTION AND MATERIALS
- 4.1 CAB, CAB WHT, and CAB BLK cabinet screws have a round washer head with a star drive, are partially threaded, and are coated for exterior use. CAB, CAB WHT, and CAB BLK screws are shown in Figure 1, Figure 2, and Figure 3 respectively.



FIGURE 1. CAB CABINET SCREW



FIGURE 2. CAB WHT CABINET SCREW



FIGURE 3. CAB BLK CABINET SCREW

- 4.2 CAB, CAB WHT, and CAB BLK screws are manufactured using a standard cold-formed process followed by a heat-treating process.
- 4.3 CAB screws are coated with a proprietary coating, designated as Bronze, which exceeds the protections provided by hot-dipped galvanized coatings conforming to *ASTM A153*.





- 4.4 CAB WHT screws are coated with a proprietary coating, designated as Bronze, which exceeds the protections provided by hot-dipped galvanized coatings conforming to *ASTM A153*.
- 4.5 CAB BLK screws are coated with a proprietary coating, designated as Black, which exceeds the protections provided by hot-dipped galvanized coatings conforming to *ASTM A153*.
- 4.6 CAB, CAB WHT, and CAB BLK screws are approved for use in chemically-treated or untreated lumber where *ASTM A153*, Class D coatings are approved for use in accordance with <u>*IBC* Section 2304.10</u> and <u>*IRC* Section R317.3</u>.
- 4.6.1 The proprietary coating has been tested and found to exceed the protection provided by code-approved hot-dipped galvanized coatings meeting *ASTM A153*, Class D in accordance with <u>*IBC* Section 2304.10.6</u>⁴ and <u>*IRC* Section R317.3</u>, allowing for its use in pressure-treated wood.
- 4.6.2 Screws are approved for use in fire-retardant-treated lumber, provided the conditions set forth by the fire-retardant-treated lumber manufacturer are met, including appropriate strength reductions.

⁴ 2018 IBC Section 2304.10.5





4.7 The screws evaluated in this TER are set forth in Table 1.

Screw Name	Designation	Head (in)		Nominal	Thread	Shank	Thread Diameter (in)		Specified Minimum	Nominal Bending	Allowable So Strength (I	
		Diameter	Drive Type	Length ¹ (in)	Length ¹ (in)	Diameter ² (in)	Minor	Major	Core Hardness ⁴ (HV 0.3)	Yield, f _{yb} (psi)	Tensile	Shear ³
	8 x 1¼"		T20	1¼	7/ ₈	0.119	0.107	0.171	240	179,000	480	415
	8 x 1 ⁵ /8"			1 ⁵ /8	1							
	8 x 2"	0.433		2	1 ³ /8							
CAB	8 x 2½"			21⁄2	2							
	8 x 3"			3	2							
	10 x 2½"	0.500	T25	21⁄2	11⁄2	0.144	0.122	0.190	240	190,000	885	680
	10 x 3"	0.500		3	2							
	8 x 1¼"	0.433	T20	1¼	7/ ₈	0.119	0.107	0.171	240	179,000	480	415
	8 x 1 ⁵ /8"			1 ⁵ /8	1							
CAB WHT	8 x 2"			2	1 ³ /8							
	10 x 2½"	0.500	T25	21⁄2	1½	0.144	0.122	0.190	240	190,000	885	680
	10 x 3"	0.500		3	2							
	8 x 1¼"		T20	1¼	7/ ₈		0.107	0.171	240	179,000	480	415
CAB BLK	8 x 1 ⁵ /8"	0.433		1 ⁵ /8	1	0.119						
	8 x 2"			2	1 ³ /8							
	10 x 2½"	0.500	500 T25	21/2	1½	0.144	0.122	0.190	240	190,000	885	680
	10 x 3"	0.500		3	2							

SI: 1 in. = 25.4 mm, 1 lb. = 4.45 N, 1 psi = 0.00689 MPa

1. Screw length is measured from the underside of the head to the tip. Thread length includes tapered tip.

2. Shank diameter based on manufactured thickness. Finished dimensions are larger, due to the proprietary coatings added.

3. Shear strength applicable at both the smooth shank and thread diameter.

4. Based on a 300 gram load using the Vickers indenter.

5 APPLICATIONS

5.1 General

- 5.1.1 CAB, CAB WHT, and CAB BLK screws are used to attach cabinets to wood framing members in conventional light-frame construction and provide resistance against withdrawal, head pull-through, axial, and shear loads. See Section 6 for installation requirements.
- 5.1.2 CAB, CAB WHT, and CAB BLK screws are installed without lead holes, as prescribed in *NDS*.
- 5.1.3 Where the application exceeds the limitations set forth herein, design shall be permitted in accordance with accepted engineering procedures, experience, and technical judgment.

5.2 Design

- 5.2.1 Design of CAB, CAB WHT, and CAB BLK screws is governed by the applicable code and the provisions for dowel-type fasteners in *NDS*.
- 5.2.2 Unless otherwise noted, adjustment of the design stresses for duration of load shall be in accordance with the applicable code.





5.3 Reference Lateral Design Values (Z)

5.3.1 Reference lateral design values (lbf) for shear load parallel and perpendicular to grain for CAB, CAB WHT, and CAB BLK screws are specified in Table 2 for plywood with gypsum wallboard (GWB) between the main and side members and in Table 3 for sawn lumber.

TABLE 2. REFERENCE LATERAL DESIGN VALUES (Z) FOR ²³/₃₂" PLYWOOD SIDE MEMBER WITH ⁵/₈" GWB

						Lateral Design Value ^{1,2,3,6} , Z (Ibf)		
Screw Name	Designation	Nominal Length (in)	Thread Length (in)	Minimum Side Member Thickness (in)	Minimum Main Member Penetration ⁴ (in)	Main Member Wood Species⁵ (Specific Gravity)		
				(,		SPF (0.42)	DF-L (0.50)	
CAB	8 x 2½"	21⁄2	2	²³ / ₃₂	11⁄2	115	150	
	8 x 3"	3	2	²³ / ₃₂	11⁄2			
	10 x 2½"	21/2	11⁄2	²³ / ₃₂	11⁄2	115	150	
	10 x 3"	3	2	²³ / ₃₂	11⁄2	200	200	
CAB WHT	10 x 2½"	21/2	11⁄2	²³ / ₃₂	11⁄2	115	150	
	10 x 3"	3	2	²³ / ₃₂	11⁄2	200	200	
CAB BLK	10 x 2½"	21/2	11⁄2	²³ / ₃₂	11⁄2	115	150	
	10 x 3"	3	2	23/32	11⁄2	200	200	

SI: 1 in. = 25.4 mm, 1 lb. = 4.45 N

1. Reference lateral design values apply to two-member single shear connections where the side member is plywood and GWB, the main member is DF-L (SG = 0.50) or SPF (SG = 0.42) respectively, and the screw is installed in the face of the member. The main member shall have a minimum thickness of 1.5".

2. Tabulated lateral design values (Z) shall be adjusted by all applicable adjustment factors per NDS Table 11.3.1.

3. Lateral design values apply to both perpendicular (Z_{\perp}) and parallel (Z_{\parallel}) to main member grain orientations.

4. Screw main member penetration is the length embedded in the main member, including the tip.

5. For wood species of main member with a SG between 0.42 and 0.50, use the tabulated values for SG of 0.42.

6. Plywood shall comply with *DOC PS 1*. Plywood shall have a SG of at least 0.42.





TABLE 3. REFERENCE LATERAL DESIGN VALUES (Z) FOR SAWN LUMBER MAIN AND SIDE MEMBERS

		Nominal	Thread Length	Minimum Side Member Thickness (in)	Minimum Main	Lateral Design Value, ^{1,2,3,4} Z (lbf)				
Screw Name	Designation	Length			Member Penetration⁵ (in)	SPF (SG = 0.42)		DF-L (SG = 0.50)		
		(in)	(in)			Z⊥	Z∥	Z⊥	Z∥	
	8 x 1 ⁵ /8"	1 ⁵ /8	1	3⁄4	7/ ₈	50	50	70	70	
	8 x 2"	2	1 ³ /8	3⁄4	1¼	60	60	75	75	
CAR	8 x 2½"	21⁄2	2	1½	1	65	65	80	80	
CAD	8 x 3"	3	2	1½	1½	75	75	85	85	
	10 x 21⁄2"	21⁄2	11⁄2	1½	1	80	80	100	100	
	10 x 3"	3	2	1½	1½	100	125	115	225	
	8 x 1 ⁵ /8"	1 ⁵ /8	1	3⁄4	7/ ₈	50	50	70	70	
	8 x 2"	2	1 ³ /8	3⁄4	1¼	60	60	75	75	
	10 x 2½"	21/2	11⁄2	1½	1	80	80	100	100	
	10 x 3"	3	2	1½	1½	100	125	115	225	
	8 x 1 ⁵ /8"	1 ⁵ /8	1	3⁄4	7/ ₈	50	50	70	70	
CAB BLK	8 x 2"	2	1 ³ /8	3⁄4	1¼	60	60	75	75	
	10 x 21⁄2"	21/2	11/2	1½	1	80	80	100	100	
	10 x 3"	3	2	1½	1½	100	125	115	225	

SI: 1 in = 25.4 mm, 1 lb = 4.45 N

1. Reference lateral design values apply to two-member single shear connections where both members are of the same specific gravity, and the screw is installed in the face of the member and oriented perpendicular to grain. Where the members are of different specific gravities, use the lower of the two.

2. For wood species with a SG between 0.42 and 0.50, use the tabulated values for SG of 0.42.

3. Tabulated lateral design values (Z) shall be adjusted by all applicable adjustment factors per NDS Table 11.3.1.

4. Z^{\perp} = Lateral Design Values Perpendicular to Grain, Z^{\parallel} = Lateral Design Values Parallel to Grain.

5. Screw main member penetration is the length embedded in the main member, including the tip.





5.4 Reference Withdrawal Design Values (W) in Side Grain Applications

5.4.1 Reference withdrawal design values (lbf/in.) for CAB, CAB WHT, and CAB BLK screws in sawn lumber are specified in Table 4.

				Withdrawal Design Value ^{1,3,4} , W (Ibf/in) Wood Species ² (Specific Gravity)			
Screw Name	Designation	Nominal Length (in)	Thread Length (in)				
		(,	(,	SPF (0.42)	DF-L (0.50)		
	8 x 1¼"	1¼	7/ ₈				
	8 x 1 ⁵ /8"	1 ⁵ /8	1				
	8 x 2"	2	1 ³ /8				
CAB	8 x 2½"	21/2	2	100	120		
	8 x 3"	3	2				
	10 x 2½"	21/2	11/2				
	10 x 3"	3	2				
	8 x 1¼"	1¼	7/ ₈				
	8 x 1 ⁵ /8"	1 ⁵ /8	1		120		
CAB WHT	8 x 2"	2	1 ³ /8	100			
	10 x 2½"	21/2	11/2				
	10 x 3"	3	2				
	8 x 1¼"	1¼	7/ ₈				
	8 x 1 ⁵ /8"	1 ⁵ /8	1				
CAB BLK	8 x 2"	2	1 ³ /8	100	120		
	10 x 2½"	21/2	11/2				
	10 x 3"	3	2				

TABLE 4. REFERENCE WITHDRAWAL DESIGN VALUES (W)

SI: 1 in. = 25.4 mm, 1 lb./ft. = 0.0146 kN/m

1. Tabulated withdrawal values (W) shall be adjusted by all applicable adjustment factors per NDS Table 11.3.1.

2. For wood species with a SG between 0.42 and 0.50, use the tabulated values for SG of 0.42.

3. The full design withdrawal value is equal to the reference withdrawal value multiplied by the length of the threaded portion of the screw embedded in the main member.

4. Screw penetration is the threaded length embedded in the main member, including the tip.





5.5 Reference Head Pull-Through Design Values (P)

5.5.1 Reference design values for head pull through (lbf) for CAB, CAB WHT, and CAB BLK screws are specified in Table 5 for particleboard, plywood, and sawn lumber.

			Thread Length (in)	Head Pull-Through Design Value ^{1,5} , P (lbf) Side Member				
Screw Name	Designation	Nominal Length (in)						
		()	(,	3/4" Particleboard ²	²³ / ₃₂ " Plywood ³	1.5" SPF⁴		
	8 x 1¼"	1¼	7/ ₈		290	180		
	8 x 1 ⁵ /8"	1 ⁵ /8	1					
	8 x 2"	2	1 ³ /8	160				
CAB	8 x 2½"	21/2	2					
	8 x 3"	3	2					
	10 x 2½"	21/2	11/2	205	200	300		
	10 x 3"	3	2	205	290	500		
	8 x 1¼"	1¼	7/ ₈		290	180		
	8 x 1 ⁵ /8"	1 ⁵ /8	1	160				
CAB WHT	8 x 2"	2	1 ³ /8					
	10 x 2½"	21/2	11/2	205	200	200		
	10 x 3"	3	2	205	290	300		
	8 x 1¼"	1¼	7/ ₈		290	180		
CAB BLK	8 x 1 ⁵ /8"	1 ⁵ /8	1	160				
	8 x 2"	2	1 ³ /8					
	10 x 2½"	21/2	11/2	205	200	200		
	10 x 3"	3	2	200	290	300		

 TABLE 5. REFERENCE HEAD PULL-THROUGH DESIGN VALUES

SI: 1 in. = 25.4 mm, 1 lb. = 4.45 N

1. Tabulated pull-through values (P) shall be adjusted by all applicable adjustment factors per NDS Table 11.3.1.

2. Particleboard shall be medium density and comply with ANSI A208.1 per IBC Section 2303.1.8. Particleboard shall have a minimum density of 40 lb/ft³ (640 kg/m³).

3. Plywood shall comply with DOC PS 1. Plywood shall have a SG of at least 0.42.

4. Wood species shall have a SG of at least 0.42.

5. Pull-through design values apply to connections having the listed minimum wood side member thickness.

6 INSTALLATION

6.1 Installation shall comply with the manufacturer's installation instructions and this TER. In the event of a conflict between the manufacturer's installation instructions and this TER, the more restrictive shall govern.

- 6.2 Minimum penetration is 1", unless otherwise stated in this TER. Install screws with head flush to the surface of the wood member.
- 6.3 Lead holes are not required.
- 6.4 Screws shall be installed with the appropriate rotating powered driver.





6.5 Minimum requirements for screw spacing, edge distance, and end distance shall be in accordance with Table 6. TABLE 6. SCREW SPACING, EDGE DISTANCE, AND END DISTANCE REQUIREMENTS

Connection Coometry	Minimum Spacing/Distance (in)				
Connection Geometry	CAB8, CAB8 WHT, and CAB8 BLK	CAB10, CAB10 WHT, and CAB10 BLK			
Edge Distance – Load in any direction	3/8	3/8			
End Distance – Load parallel to grain, towards end	17/ ₈	21/4			
End Distance – Load parallel to grain, away from end	1¼	11/2			
End Distance – Load perpendicular to grain	1¼	11/2			
Spacing between Screws in a Row – Parallel to grain	17/ ₈	21/4			
Spacing between Screws in a Row – Perpendicular to grain	1¼	11/2			
Spacing between Rows of Screws – In-line	5/ ₈	3⁄4			
Spacing between Rows of Screws – Staggered	3/8	3/8			

SI: 1 in. = 25.4 mm

1. Edge distances, end distances, and spacing of screws shall be sufficient to prevent splitting of the wood or as shown in this table, whichever is the more restrictive.

2. Values for "Spacing between Rows of Screws-Staggered" apply where the screws in adjacent rows are offset by one half of the "Spacing between Screws in a Row"

7 SUBSTANTIATING DATA

- 7.1 Testing has been performed under the supervision of a professional engineer and/or under the requirements of ISO/IEC 17025 as follows:
 - 7.1.1 Bending yield testing in accordance with ASTM F1575
 - 7.1.2 Tensile strength testing in accordance with A/S/ S904
 - 7.1.3 Shear strength testing in accordance with A/S/ S904
 - 7.1.4 Lateral strength testing in accordance with ASTM D1761
 - 7.1.5 Withdrawal testing in accordance with ASTM D1761
 - 7.1.6 Head pull-through testing in accordance with ASTM D1761
 - 7.1.7 Corrosion resistance testing in accordance with ASTM B117 and ASTM G85
- 7.2 Information contained herein is the result of testing and/or data analysis by sources which conform to <u>IBC Section</u> <u>1703</u> and/or <u>professional engineering regulations</u>. DrJ relies upon accurate data to perform its ISO/IEC 17065 evaluations.
- 7.3 Where appropriate, DrJ's analysis is based on provisions that have been codified into law through state or local adoption of codes and standards. The providers of the codes and standards are legally responsible for their content. DrJ analysis may use code-adopted provisions as a control sample. A control sample versus a test sample establishes a product as <u>being equivalent</u> to that prescribed in this code in quality, <u>strength</u>, effectiveness, <u>fire resistance</u>, durability, and safety. Where the accuracy of the provisions provided herein is reliant upon the published properties of materials, DrJ relies upon the grade mark, grade stamp, mill certificate, and/or test data provided by material suppliers to be minimum properties. DrJ analysis relies upon these properties to be accurate.





8 FINDINGS

- 8.1 When used and installed in accordance with this TER and the manufacturer's installation instructions, the product(s) listed in Section 1.1 have the reference design value properties defined herein and are approved for use in accordance with the applicable code.
- 8.2 This product has been evaluated in the context of the codes listed in Section 2 and is compliant with all known state and local building codes. Where there are known variations in state or local codes applicable to this TER, they are listed here.
 - 8.2.1 No known variations
- 8.3 Building codes require data from valid <u>research reports</u> be obtained from <u>approved sources</u> (i.e., licensed <u>registered design professionals</u> [RDPs]).
- 8.3.1 Building official approval of a licensed RDP is performed by verifying the RDP and/or their business entity is listed by the <u>licensing board</u> of the relevant *jurisdiction*.
- 8.4 Agencies who are accredited through ISO/IEC 17065 have met the <u>code requirements</u> for approval by the <u>building official</u>. DrJ is an ISO/IEC 17065 <u>ANAB-Accredited Product Certification Body</u> <u>Accreditation #1131</u> and employs RDPs.
- 8.5 Through ANAB accreditation and the <u>IAF MLA</u>, DrJ certification can be used to obtain product approval in any <u>jurisdiction</u> or country that has <u>IAF MLA Members & Signatories</u> to meet the <u>Purpose of the MLA</u> "certified once, accepted everywhere."
- 8.6 *IBC* Section 104.11 (*IRC* Section R104.11 and *IFC* Section 104.10⁵ are similar) states:

104.11 Alternative materials, design and methods of construction and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code...Where the alternative material, design or method of construction is not *approved*, the *building official* shall respond in writing, stating the reasons the alternative was not *approved*.

- 9 CONDITIONS OF USE
 - 9.1 Moisture content of wood members shall be the following.
 - 9.1.1 Sawn lumber: less than or equal to 19% per NDS Section 4.1.4
 - 9.1.2 Plywood: less than 16% per NDS Section 9.1.4
 - 9.1.3 Particleboard: less than 10% per ANSI A208.1
 - 9.2 Use of screws in locations exposed to saltwater or saltwater spray is outside the scope of this TER.
 - 9.3 Where required by the *building official*, also known as the authority having jurisdiction (AHJ) in which the project is to be constructed, this TER and the installation instructions shall be submitted at the time of *permit* application.
 - 9.4 Any generally accepted engineering calculations needed to show compliance with this TER shall be submitted to the AHJ for review and approval.
 - 9.5 <u>Design loads</u> shall be determined in accordance with the building code adopted by the *jurisdiction* in which the project is to be constructed and/or by the building designer (e.g., *owner* or RDP).
 - 9.6 At a minimum, this product shall be installed per Section 6 of this TER.
 - 9.7 This product has an internal quality control program and a third-party quality assurance program in accordance with <u>IBC Section 104.4</u> and <u>Section 110.4</u> and <u>IRC Section R104.4</u> and <u>Section R109.2</u>.
 - 9.8 The actual design, suitability, and use of this TER, for any particular building, is the responsibility of the <u>owner</u> or the owner's authorized agent.

⁵ 2018 IFC Section 104.9





- 9.9 This TER shall be reviewed for code compliance by the AHJ in concert with <u>IBC Section 104</u>.
- 9.10 The implementation of this TER for this product is dependent on the design, quality control, third-party quality assurance, proper implementation of installation instructions, inspections required by <u>*IBC* Section 110.3</u>, and any other code or regulatory requirements that may apply.

10 IDENTIFICATION

- 10.1 The product(s) listed in Section 1.1 are identified by a label on the board or packaging material bearing the manufacturer's name, product name, TER number, and other information to confirm code compliance.
- 10.2 Additional technical information can be found at <u>bigtimberfasteners.com</u>.

11 REVIEW SCHEDULE

- 11.1 This TER is subject to periodic review and revision. For the most recent version, visit dricertification.org.
- 11.2 For information on the current status of this TER, contact DrJ Certification.





Issue Date: December 22, 2020 Subject to Renewal: October 1, 2022

FBC Supplement to TER 1911-03

REPORT HOLDER: Western Builders Supply DBA Big Timber®

- 1 EVALUATION SUBJECT
- 1.1 CAB, CAB WHT, and CAB BLK Cabinet Screws
- 2 PURPOSE AND SCOPE
 - 2.1 Purpose
 - 2.1.1 The purpose of this Technical Evaluation Report (TER) supplement is to show CAB, CAB WHT, and CAB BLK Cabinet Screws, recognized in TER 1911-03, have also been evaluated for compliance with the codes listed below as adopted by the Florida Building Commission.
 - 2.2 Applicable Code Editions
 - 2.2.1 FBC-B—17, 20: Florida Building Code Building (FL 35216)
 - 2.2.2 FBC-R—17, 20: Florida Building Code Residential (FL 35216)
- 3 CONCLUSIONS
- 3.1 CAB, CAB WHT, and CAB BLK Cabinet Screws, described in TER 1911-03, comply with the *FBC-B* and *FBC-R* and are subject to the conditions of use described in this supplement.
- 3.2 Where there are variations between the *IBC* and *IRC* and the *FBC-B* and *FBC-R* applicable to this TER, they are listed here.
 - 3.2.1 FBC-B Section 104.4 and Section 110.4 are reserved.
 - 3.2.2 FBC-R Section R104 and Section R109 are reserved.

4 CONDITIONS OF USE

- 4.1 CAB, CAB WHT, and CAB BLK Cabinet Screws, described in TER 1911-03, must comply with all of the following conditions:
 - 4.1.1 All applicable sections in TER 1911-03
 - 4.1.2 The design, installation, conditions of use, and identification of CAB, CAB WHT, and CAB BLK Cabinet Screws are in accordance with the 2018 *IBC* provisions noted in TER 1911-03.
 - 4.1.3 The design, installation, and inspections are in accordance with additional requirements of *FBC-B* Chapter 16 and Chapter 17, as applicable.